

GENERAL NOTICE TO CONTROL NOXIOUS WEEDS

Notice is hereby given this First day of May 2009, pursuant to the Utah Noxious Weed Act, Section 7, to every person who owns or controls land in Utah County, Utah, that noxious weeds standing, being, or growing on such land shall be controlled and the spread of same prevented by effective cutting, tillage, cropping, pasturing, or treating with chemicals or other effective methods, or combination thereof, approved by the County Weed supervisor, as often as may be required to prevent the weed from blooming and maturing seeds, or spreading by root, root stalks or other means.

Upon failure to comply with this notice, the owner or person in possession of property upon which noxious weeds are present shall be deemed negligent and enforced control measures may be imposed at the discretion of county authorities. Expenses of control measures employed by the county shall be paid directly by the owner or person in possession of the property, or shall constitute a lien on the property and become collectible by taxes.

The following are declared noxious weeds for the State of Utah and the county of Utah.

Bermudagrass (<i>Cynodon dactylon</i>)	Black henbane (<i>Hyoscyamus niger</i>)
Canada thistle (<i>Cirsium arvense</i>)	Dalmatian toadflax (<i>Linaria dalmatica</i>)
Diffuse knapweed (<i>Centaurea diffusa</i>)	Dyers woad (<i>Isatis tinctoria L.</i>)
Field bindweed (<i>Convolvulus arvensis</i>)	Hoary cress (<i>Cardaria Spp.</i>)
Houndstongue (<i>Cynoglossum officinale</i>)	Leafy spurge (<i>Euphorbia esula</i>)
Medusahead (<i>Taeniatherum caput-medusae</i>)	Musk thistle (<i>Carduus nutans</i>)
Oxeye daisy (<i>Chrysanthemum leucanthemum</i>)	Perennial pepperweed (<i>Lepidium latifolium</i>)
Poison hemlock (<i>Conium maculatum</i>)	Purple loosestrife (<i>Lythrum salicaria L.</i>)
Quackgrass (<i>Agropyron repens</i>)	Russian knapweed (<i>Centaurea repens</i>)
Saltcedar (<i>Tamarix ramosissima</i>)	Scotch thistle (<i>Onopordum acanthium</i>)
Spotted knapweed (<i>Centaurea maculosa</i>)	Squarrose knapweed (<i>Centaurea squarrosa</i>)
St. John's wort (<i>Hypericum perforatum</i>)	Sulfur cinquefoil (<i>Potentilla recta</i>)
Yellow starthistle (<i>Centaurea solstitialis</i>)	Yellow toadflax (<i>Linaria vulgaris</i>)
Perennial sorghum spp (<i>Sorghum halepense</i>),(<i>Sorghum almum</i> , <i>Parodi</i>).	
<i>Phragmites (phragmites australis)</i>	